
STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

					DIVISION O						AMENI	DED REPOR	KI 🔼		
APPLICATION FOR PERMIT TO DRILL									1. WELL NAME and NUMBER Ute Tribal 4-22-4-1W						
2. TYPE OF WORK  DRILL NEW WELL REENTER P&A WELL DEEPEN WEL							3. FIELD OR WILDCAT MONUMENT BUTTE								
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO							5. UNIT or COMMUNITIZATION AGREEMENT NAME								
6. NAME OF OPERATOR  NEWFIELD PRODUCTION COMPANY								7. OPERATOR PHONE 435 646-4825							
8. ADDRESS OF OPERATOR Rt 3 Box 3630 , Myton, UT, 84052								9. OPERATOR E-MAIL mcrozier@newfield.com							
					1. MINERAL OWNERSHIP				12. SURFACE OWNERSHIP						
	1	420H626123	FEDERAL INDIAN INDIAN STATE FEE				FEDERAL INDIAN STATE FEE								
13. NAME	OF SURFACE	OWNER (if box 12 :	= 'fee') Geral N. And	derson F	mily Trust					14. SURFACE OWNER PHONE (if box 12 = 'fee')					
15. ADDRESS OF SURFACE OWNER (if box 12 = 'fee') 657 W Lakeview Rd., Lindon, UT 84042							16. SURFACE OWNER E-MAIL (if box 12 = 'fee')								
	N ALLOTTEE OI = 'INDIAN')	R TRIBE NAME			8. INTEND TO COMMINGLE PRODUCTION FROM IULTIPLE FORMATIONS					19. SLANT					
(II BOX 12	- INDIAN )	Ute Tribe			YES (Submit Commingling Application) NO					VERTICAL DIRECTIONAL HORIZONTAL					
20. LOCA	TION OF WELL			FOOT	rages QTR		R-QTR	-QTR SECTION		TOWNSHIP R.		ANGE MERIDIAN		RIDIAN	
LOCATIO	N AT SURFACE		70	67 FSL	607 FWL SWSW		WSW	15		4.0 S	1.0 W			U	
Top of Uppermost Producing Zone 660 FNL				0 FNL	660 FWL	NWNW		22		4.0 S	1.0 W		U		
At Total Depth 660 FNL				660 FWL	NWNW		22		4.0 S	1.0 W		U			
21. COUN	TY	DUCHESNE		22.	2. DISTANCE TO NEAREST LEASE LINE (Feet) 660					23. NUMBER OF ACRES IN DRILLING UNIT 40					
					DISTANCE TO NEAREST WELL IN SAME POOL oplied For Drilling or Completed) 1320				<b>26. PROPOSED DEPTH</b> MD: 7360 TVD: 7200						
27. ELEVATION - GROUND LEVEL 28.				8. BOND NUMBER  RLB0010462				29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 437478							
					Hole, Casing	, and C	ement Info	rmation		ı					
String	Hole Size	Casing Size	Length	Weigh			Max Mud Wt.			Cement		Sacks	Yield	Weight	
SURF	12.25 7.875	8.625 5.5	0 - 500 0 - 7360	24.0 15.5			8.3		Class G  Premium Lite High Strength		ath	332	3.49	15.8	
TROB	7.070	0.0	0 7300	10.0	0 00 210		0	1161		50/50 Poz		249	1.24	14.3	
			·		Δ.	TTACU	MENTS								
						ПАСП	IMIENIS								
	VER	IFY THE FOLLO	WING ARE AT	TACHE	ED IN ACCORDAN	ICE WIT	TH THE UT	AH OIL ANI	D GAS	CONSERVATION GE	NERA	L RULES			
WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER							COMPLETE DRILLING PLAN								
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURF						SURFACE) FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER									
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLE						)	TOPOGRAPHICAL MAP								
NAME Mandie Crozier					TITLE Regulatory Tech			РНС	PHONE 435 646-4825						
SIGNATURE				<b>DATE</b> 02/28/2013			EMA	EMAIL mcrozier@newfield.com							
API NUMBER ASSIGNED 43013520670000				APPROVAL			J.	Permit Manager							
<u> </u>									Pt	amit wianager					

## T4S, R1W, U.S.B.&M.



BASIS OF ELEV; Elevations are based on an N.G.S. OPUS Correction. LOCATION: LAT. 40°04'09.56" LONG. 110°00'43.28" (Tristate Aluminum Cap) Elev. 5281.57'

NAD 83 (SURFACE LOCATION)


LATITUDE = 40'07'47.77"
LONGITUDE = 109'59'23.47"

NAD 27 (SURFACE LOCATION)

LATITUDE = 40'07'47.91"
LONGITUDE = 109'59'20.93"


## NEWFIELD EXPLORATION COMPANY

WELL LOCATION, 4-22-4-1W, LOCATED AS SHOWN IN THE SW 1/4 SW 1/4 OF SECTION 15, T4S, R1W, U.S.B.&M. DUCHESNE COUNTY, UTAH.



## NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.



## TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

	` '		
DATE SURVEYED: 06-27-12	SURVEYED BY: S.H.	VERSION:	
DATE DRAWN: 07-23-12	DRAWN BY: R.B.T.	\/2	
REVISED:	SCALE: 1" = 1000'	V Z	

